



ORDINARY ELECTRIC FOOD OVEN

普通电烤箱系列

LUXURY ELECTRIC FOOD OVEN

豪华电烤箱系列



YPD1-1
1-Deck 1-Tray



YPD-2
1-Deck 2-Tray



YPD-4
2-Deck 4-Tray



YPD-6
3-Deck 6-Tray



Food Oven

普通型远红外线电热食品烘炉

- ☆ 外壳采用全不锈钢材料制作,坚固耐用,时尚大方。
- ☆ 数码显示温控仪,控温精准。
- ☆ 单层独立或多层同时使用,智能功率可调,轻松应对各种烘焙要求。
- ☆ 采用远红外线电热管辐射技术加热,热力均匀,全面提升工作效率。
- ☆ 人性化设计超宽开门把手,采用优质耐高温材料制造,轻松开关不烫手。
- ☆ Shell made of stainless steel, durable, elegant fashion.
- ☆ Digital display temperature controller, temperature control precision.
- ☆ Single layer or multiple layers at the same time use, intelligent power adjustable, easy to deal with a variety of baking requirements.
- ☆ Using far infrared heat pipe radiation technology heating, heat evenly, improve work efficiency.
- ☆ Humane design Ultra-wide door handle, made of high-quality temperature-resistant materials, easy to switch not hot.

型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YPD1-1	一层一盘	220V	50Hz	3.2kW	30°C-300°C	10-25kg/h	IPX4	950x600x430
YPD-2	一层两盘	220V/380V	50Hz	7.2kW	30°C-400°C	20-50kg/h	IPX4	1240x820x605
YPD-4	两层四盘	3N/380V	50Hz	14.4kW	30°C-400°C	50-100kg/h	IPX4	1240x820x1280
YPD-6	三层六盘	3N/380V	50Hz	21.6kW	30°C-400°C	75-150kg/h	IPX4	1240x820x1550



YMD1-1
1-Deck 1-Tray



YHD1-1
1-Deck 1-Tray



YHD2-2
2-Deck 2-Tray



YHD3-3
3-Deck 3-Tray

Food Oven

豪华型远红外线电热食品烘炉

- ☆ 全不锈钢外壳,搭配万能轮脚架,坚固耐用,时尚美观。
- ☆ 上下独立控制发热管,热力均匀,全面提升工作效率,从而达到节能环保作用。
- ☆ 精准的温控器,上下层各自配置独立的温控旋钮,轻松准确的独立控制上下层温度。
- ☆ 特设定时装置,方便应对各种糕点烘焙要求。
- ☆ 人性化设计超宽开门把手,采用优质耐高温材料制造,轻松开关不烫手。
- ☆ All stainless steel shell, with universal wheel stand, durable, stylish appearance.
- ☆ Independently control the heating tube up and down, heat evenly, improve work efficiency, so as to achieve energy saving and environmental protection.
- ☆ Precise thermostat, upper and lower separate configuration temperature control knob, easy and accurate independent control of the upper and lower temperature.
- ☆ Ad hoc timing device, easy to handle a variety of cakes baking requirements.
- ☆ Humane design Ultra-wide door handle, made of high-quality temperature-resistant materials, easy to switch not hot.

型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YMD1-1	一层一盘	220V	50Hz	3.2kW	30°C-300°C	10-25kg/h	IPX4	950x600x430
YHD1-1	一层一盘	220V	50Hz	3.2kW	30°C-300°C	10-25kg/h	IPX4	950x600x500
YHD2-2	两层两盘	220V	50Hz	6.4kW	30°C-300°C	20-50kg/h	IPX4	950x600x920
YHD3-3	三层三盘	220V	50Hz	9.6kW	30°C-300°C	30-75kg/h	IPX4	950x600x1430



LUXURY ELECTRIC FOOD OVEN

豪华电烤箱系列



YHD-2
1-Deck 2-Tray



YHD-4
2-Deck 4-Tray



YHD-6
3-Deck 6-Tray



Food Oven

豪华型远红外线电热食品烘炉

- ☆采用远红外线电热管辐射技术加热，热力均匀，全面提升工作效率，从而达到环保作用。
- ☆单层独立或多层同时使用，智能功率可调，轻松应对各种烘焙要求。
- ☆人性化设计超宽门把手，采用优质耐高温材料制造，轻松开关不烫手。
- ☆时尚美观全不锈钢机身，坚固耐用，永不生锈，万向轮脚架，方便推动。
- ☆特设定时装置，方便应对各种糕点烘烤要求。
- ☆ Using far infrared heat pipe radiation heating technology, thermal uniformity, improve overall efficiency, so as to achieve the role of environmental protection.
- ☆ Single layer or multiple layers at the same time use, intelligent power adjustable, easy to deal with a variety of baking requirements.
- ☆ Humane design Ultra-wide door handle, made of high-quality temperature-resistant materials, easy to switch not hot.
- ☆ Stylish and beautiful stainless steel body, durable, never rust, universal wheel tripod, easy to promote.
- ☆ Ad hoc timing device, easy to handle a variety of cakes baking requirements.

型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YHD-2	一层两盘	220V/380V	50Hz	7.2kW	30°C-400°C	20-50kg/h	IPX4	1240x840x605
YHD-4	两层四盘	3N/380V	50Hz	14.4kW	30°C-400°C	50-100kg/h	IPX4	1240x840x1280
YHD-6	三层六盘	3N/380V	50Hz	21.6kW	30°C-400°C	75-150kg/h	IPX4	1240x840x1550



DIGITAL ELECTRIC FOOD OVEN

数显电烤箱系列



YSD-2
1-Deck 2-Tray



YSD-4
2-Deck 4-Tray



YSD-6
3-Deck 6-Tray



Food Oven

数控型远红外线电热食品烘炉

- ☆创新微电脑式数字化技术，极佳的适应性和灵活性，包括编程技术和控制技术，全程掌握烘焙温度。
- ☆上下各9根远红外线发热管辐射技术加热，每层配套全不锈钢加工导热板，使热效率更均匀，导热性更快，更适合应对各种糕点烘烤要求，更实现节能环保作用。
- ☆防烫手把，人性化设计轻松开门，大玻璃视窗可轻松观察烘焙过程。
- ☆内置耐高温照明灯，安全可视。
- ☆ Innovative microcomputer digital technology, excellent adaptability and flexibility, including programming and control technology, full control of baking temperature.
- ☆ Up and down the nine far-infrared heat pipe radiation heating technology, each supporting the entire stainless steel processing thermal plate, the thermal efficiency more uniform, faster thermal conductivity, more suitable for a variety of cakes baking requirements, but also to achieve the role of environmental protection and energy saving.
- ☆ Anti-hot handle, user-friendly design easy to open the door, large glass window can easily observe the baking process.
- ☆ Built-in high temperature lighting, safe visual.

型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YSD-2	一层两盘	220V/380V	50Hz	7.2kW	30°C-350°C	20-50kg/h	IPX4	1240x860x605
YSD-4	两层四盘	220V/380V	50Hz	14.4kW	30°C-350°C	50-100kg/h	IPX4	1240x860x1280
YSD-6	三层六盘	220V/380V	50Hz	21.6kW	30°C-350°C	75-150kg/h	IPX4	1240x860x1550



LUXURY ELECTRIC FOOD OVEN

豪华电烤箱系列



YHD-2X
1-Deck 2-Tray



YHD-4X
2-Deck 4-Tray



YHD-6X
3-Deck 6-Tray

Food Oven

豪华型远红外线电热食品烘炉

- ☆采用远红外线电热管辐射技术加热，热力均匀，全面提升工作效率。
- ☆旋钮式仪表操作面板，定时报警装置，操作简单，符合人体手感，雅致便捷。
- ☆防烫手柄，人性化设计轻松开门，大玻璃视窗可轻松观察烘焙过程。
- ☆上下各9根远红外线发热管辐射技术加热，每层配套全不锈钢加工导热板，使热效率更均匀，导热性更快，更适应应对各种糕点烘烤要求，更实现节能环保作用。
- ☆外壳采用不锈钢无指纹黑钛搭配，高端大方。
- ☆Using far infrared heat pipe radiation technology heating, heat evenly, improve work efficiency.
- ☆Knob instrument panel, timing alarm device, simple operation, in line with the human hand, elegant and convenient.
- ☆Anti-hot handle, user-friendly design easy to open the door, large glass window can easily observe the baking process.
- ☆Up and down the nine far-infrared heat pipe radiation heating technology, each supporting the entire stainless steel processing thermal plate, the thermal efficiency more uniform, faster thermal conductivity, more suitable for a variety of cakes baking requirements, but also to achieve the role of environmental protection and energy saving.
- ☆Shell with stainless steel fingerprint black and titanium with high-end generous.



型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YHD-2X	一层两盘	220V/380V	50Hz	7.2kW	30°C-400°C	20-50kg/h	IPX4	1240x840x605
YHD-4X	两层四盘	3N/380V	50Hz	14.4kW	30°C-400°C	50-100kg/h	IPX4	1240x840x1280
YHD-6X	三层六盘	3N/380V	50Hz	21.6kW	30°C-400°C	75-150kg/h	IPX4	1240x840x1550

LUXURY ELECTRIC FOOD OVEN

豪华电烤箱系列



YHD3-9
3-Deck 9-Tray



YHD1-3
1-Deck 3-Tray



YHD2-6
2-Deck 6-Tray

Food Oven

豪华型远红外线电热食品烘炉

- ☆采用远红外线电热管辐射技术加热，热力均匀，全面提升工作效率，从而达到环保作用。
- ☆单层独立或多层同时使用，智能功率可调，轻松应对各种烘焙要求。
- ☆人性化设计超宽开门把手，采用优质耐高温材料制造，轻松开关不烫手。
- ☆时尚美观全不锈钢机身，坚固耐用，永不生锈，万向轮脚架，方便推动。
- ☆特设定时装置，方便应对各种糕点烘烤要求。
- ☆All stainless steel shell, with universal wheel stand, durable, stylish appearance.
- ☆Independently control the heating tube up and down, heat evenly, improve work efficiency, so as to achieve energy saving and environmental protection.
- ☆Precise thermostat, upper and lower separate configuration temperature control knob, easy and accurate independent control of the upper and lower temperature.
- ☆Ad hoc timing device, easy to handle a variety of cakes baking requirements.
- ☆Humane design Ultra-wide door handle, made of high-quality temperature-resistant materials, easy to switch not hot.



型号	盘数	电压	频率	功率	温度范围	生产能力	防水等级	产品尺寸(mm)
Model	Number	Voltage	Frequency	Power	Temperature	Production	Waterproofing Grade	Dimension
YHD1-3	一层三盘	220V/380V	50Hz	8.4kW	30°C-400°C	50-100kg/h	IPX4	1670x840x605
YHD2-6	两层六盘	380V	50Hz	16.8kW	30°C-400°C	100-150kg/h	IPX4	1670x840x1280
YHD3-9	三层九盘	380V	50Hz	25.2kW	30°C-400°C	150-200kg/h	IPX4	1670x840x1550



LUXURY GAS FOOD OVEN

豪华燃气烤箱系列



YHQ-2
1-Deck 2-Tray



YHQ-4
2-Deck 4-Tray



YHQ-6
3-Deck 6-Tray

Food Oven

豪华型燃气食品烘炉

- ☆ 采用全玻璃视窗,方便美观大方,微电脑仪表控制面板、炉面、炉底温度双重独立控制,操作自如。
- ☆ 领先微电脑脉冲点火和火焰监测系统,点火率高,意外熄火或燃气用完熄火,自动报警,安全省心。
- ☆ 选用优质不锈钢燃气管,升温时间快,工作寿命长,燃烧热效率高,耗气量少。
- ☆ 与传统电烤箱相比可省去电力增容和配电线路等所需支出,经济实用。
- ☆ All-glass window, convenient beautiful and generous, microcomputer control panel, furnace surface, bottom temperature dual independent control, easy operation.
- ☆ Microcomputer pulse ignition and flame monitoring system, high ignition rate, accidental flameout or gas out of flame, automatic alarm, safety and peace of mind.
- ☆ Selection of high-quality stainless steel burner, heating time, long working life, high thermal efficiency, less air consumption.
- ☆ Compared with the traditional electric oven can save electricity and power distribution lines and other expenses required, economical and practical.



型号	盘数	电压	功率	温度范围	生产能力	燃料种类	产品尺寸(mm)
Model	Number	Voltage	Power	Temperature	Production	Fuel type	Dimension
YHQ-2	一层两盘	220V	100W	30°C-400°C	20-50kg/h	液化气	1350x900x680
YHQ-4	两层四盘	220V	200W	30°C-400°C	50-100kg/h	液化气	1350x900x1470
YHQ-6	三层六盘	220V	300W	30°C-400°C	75-150kg/h	液化气	1350x900x1840

LUXURY GAS FOOD OVEN

豪华燃气烤箱系列



YHQ-6X
3-Deck 6-Tray



YHQ-2X
1-Deck 2-Tray



YHQ-4X
2-Deck 4-Tray

Food Oven

豪华型燃气食品烘炉

- ☆ 领先微电脑脉冲点火和火焰监测系统,点火率高,意外熄火或燃气用完熄火,自动报警,安全省心。
- ☆ 采用全玻璃视窗,方便美观大方,微电脑仪表控制面板、炉面、炉底温度双重独立控制,操作自如。
- ☆ 选用优质不锈钢燃气管,升温时间快,工作寿命长,燃烧热效率高,耗气量少。
- ☆ 与传统电烤箱相比可省去电力增容和配电线路等所需支出,经济实用。
- ☆ 定时报警装置,操作简单,符合人体手感,雅致便捷。
- ☆ 外壳采用不锈钢无指纹黑钛搭配,高端大方。
- ☆ Microcomputer pulse ignition and flame monitoring system, high ignition rate, accidental flameout or gas out of flame, automatic alarm, safety and peace of mind.
- ☆ All-glass window, convenient beautiful and generous, microcomputer control panel, furnace surface, bottom temperature dual independent control, easy operation.
- ☆ Selection of high-quality stainless steel burner, heating time, long working life, high thermal efficiency, less air consumption.
- ☆ Compared with the traditional electric oven can save electricity and power distribution lines and other expenses required, economical and practical.
- ☆ timing alarm device, simple operation, in line with the human hand, elegant and convenient.
- ☆ shell with stainless steel fingerprint black and titanium with high-end generous.



型号	盘数	电压	功率	温度范围	生产能力	燃料种类	产品尺寸(mm)
Model	Number	Voltage	Power	Temperature	Production	Fuel type	Dimension
YHQ-2X	一层两盘	220V	100W	30°C-400°C	20-50kg/h	液化气	1350x900x680
YHQ-4X	两层四盘	220V	200W	30°C-400°C	50-100kg/h	液化气	1350x900x1470
YHQ-6X	三层六盘	220V	300W	30°C-400°C	75-150kg/h	液化气	1350x900x1840



LUXURY GAS FOOD OVEN

豪华燃气烤箱系列



YHQ1-3
1-Deck 3-Tray



YHQ2-6
2-Deck 6-Tray



YHQ3-9
3-Deck 9-Tray

Food Oven

豪华型燃气食品烘炉

- ☆ 采用全玻璃视窗,方便观察,微电脑控制,炉面、炉底温度双重独立控制,操作自如。
- ☆ 领先微电脑脉冲点火和火焰监测系统,点火率高,意外熄火或燃气用完熄火,自动报警,安全省心。
- ☆ 选用优质不锈钢燃气管,升温快,工作寿命长,燃烧效率高,耗气量少。
- ☆ 与传统电烤箱相比可省去电力增容和配电线路等所需支出,经济实用。
- ☆ All-glass window, convenient beautiful and generous, microcomputer control panel, furnace surface, bottom temperature dual independent control, easy operation.
- ☆ Microcomputer pulse ignition and flame monitoring system, high ignition rate, accidental flameout or gas out of flame, automatic alarm, safety and peace of mind.
- ☆ Selection of high-quality stainless steel burner, heating time, long working life, high thermal efficiency, less air consumption.
- ☆ Compared with the traditional electric oven can save electricity and power distribution lines and other expenses required, economical and practical.



型号	盘数	电压	功率	温度范围	生产能力	燃料种类	产品尺寸(mm)
Model	Number	Voltage	Power	Temperature	Production	Fuel type	Dimension
YHQ-1-3	一层三盘	220V	100W	30°C-400°C	50-100kg/h	液化气	1780x900x680
YHQ-2-6	两层六盘	220V	200W	30°C-400°C	100-150kg/h	液化气	1780x900x1470
YHQ-3-9	三层九盘	220V	300W	30°C-400°C	150-200kg/h	液化气	1780x900x1840

DIGITAL DISPLAY GAS OVEN

数显燃气烤箱系列



YSQ-2
1-Deck 2-Tray



YSQ-4
2-Deck 4-Tray



YSQ-6
3-Deck 6-Tray

Food Oven

数控型燃气烤箱

- ☆ 创新电脑式数字化技术,最佳的适应性和灵活性,包括编程技术和控制技术,全程掌握烘烤温度。
- ☆ 领先微电脑脉冲点火和火焰监测系统,点火率高,意外熄火或燃气用完熄火,自动报警,安全省心。
- ☆ 选用优质不锈钢燃气管,升温快,工作寿命长,燃烧效率高,耗气量少。
- ☆ 与传统电烤箱相比可省去电力增容和配电线路等所需支出,经济实用。
- ☆ Innovative computerized digital technology, excellent adaptability and flexibility, including programming technology and control technology, full control of baking temperature.
- ☆ Microcomputer pulse ignition and flame monitoring system, high ignition rate, accidental flameout or gas out of flame, automatic alarm, safety and peace of mind.
- ☆ Selection of high-quality stainless steel burner, heating time, long working life, high thermal efficiency, less air consumption.
- ☆ Compared with the traditional electric oven can save electricity and power distribution lines and other expenses required, economical and practical.



型号	盘数	电压	功率	温度范围	生产能力	燃料种类	产品尺寸(mm)
Model	Number	Voltage	Power	Temperature	Production	Fuel type	Dimension
YSQ-2	一层二盘	220V	100W	30°C-350°C	25-50kg/h	液化气	1350x900x680
YSQ-4	两层四盘	220V	200W	30°C-350°C	50-100kg/h	液化气	1350x900x1470
YSQ-6	三层六盘	220V	300W	30°C-350°C	75-150kg/h	液化气	1350x900x1840

ELECTRIC OVEN SERIES

热风循环电烤箱系列

微电脑智能热风循环电烤箱



▲ YZN-01E



- 1.智能微电脑控制，高端微电脑控制；2.热风循环功能，强制水平热风循环；
 - 3.快速散热系统，缩短冷却时间；4.自动喷雾功能，独有的自动喷雾加湿功能；
 - 5.菜单记忆功能，具有6键记忆菜单单元设置功能；6.食品级搪瓷内胆，搪瓷内胆不沾油易清洗，承压耐用耐高温；
 - 7.全不锈钢机身，双卡位防烫大把手，外加散热风扇提高散热效率；
 - 8.一体成型发热管，让面火与风形成1:1的比例达到热风循环的效果。
1. High-end intelligent microcomputer control. 2. Hot air circulation function, forced horizontal hot air circulation.
 3. Fast heat dissipation system, shorten cooling Time. 4. Automatic spray function, unique automatic spray humidification function.
 5. Menu memory function, with 6 keys memory setting function. 6. Food grade enamel liner, easy to clean and durable.
 7. All stainless steel body, double-clip anti-scalding handle, plus cooling fan to improve the heat dissipation efficiency.
 8. One whole set heating tube, make the ratio of surface fire to wind 1:1, to achieve the effect of hot air circulation.

型号	电压	功率	频率	温度范围	防水等级	内腔尺寸(mm)	产品尺寸(mm)
Model	Voltage	Power	Frequency	Temperature	Waterproofing Grade	Bore size	Dimension
YZN-01E	220V	6kW	50Hz	0°C-300°C	IPX3	620x455x420x1PCS	920x830x600

FERMENTATION BOX SERIES

发酵箱系列



▲ ZT-16C



▲ ZT-32C

型号	电压	功率	产品尺寸(mm)	规格盘数
Model	Voltage	Power	Dimension	Plate number
ZT-13C	220V/50Hz	2.6kW	500x700x1750	13
ZT-16C	220V/50Hz	2.6kW	500x700x1970	16
ZT-26C	220V/50Hz	2.8kW	1000x700x1750	26
ZT-32C	220V/50Hz	2.8kW	1000x700x1970	32



▲ ZT-16FP



▲ ZT-32FP

型号	电压	功率	产品尺寸(mm)	规格盘数
Model	Voltage	Power	Dimension	Plate number
ZT-16FP	220V/50Hz	1.5kW	2000x550x880	16
ZT-32FP	220V/50Hz	1.8kW	2000x1100x880	32



FERMENTATION BOX SERIES

烤地瓜机系列

Baked sweet potato machine

台式/立式烤地瓜机

- ☆采用碳纤维红外线电热管，烘烤效果如同柴火；
- ☆全钢包边双层隔热防爆玻璃，防爆防撞更耐高温；
- ☆上下独立控温，智能烘烤，适合不同食物烘烤；
- ☆双电机双倍动力双齿能，均匀转动不卡机；
- ☆升级定时装置功能，定时定温，省去人工守候；
- ☆食品级不锈钢挂篮，使用放心安全售卖健康地瓜。

八大核心技术

三大升级体验



上下独立控温 Independent temperature
升级定时功能 Independent timing
50-250°C智能烘烤 Independent temperature



可独立保温 Independent temperature
碳纤维红外发热管 Independent temperature
双层隔热防爆玻璃 Independent temperature



双电机双倍动力 Independent temperature
包屏防护设计 Independent temperature
整机201不锈钢 Independent temperature



光波电热烤灸

健康节能不伤皮肤
● 烤地瓜机采用光波技术烘烤，
烤出来的地瓜外皮酥脆，
内部软糯，香甜可口，
是老少皆宜的健康食品。

配置8个不锈钢挂篮



▲ YXD-1A



▲ YXD-101B



▲ YXD-101C



▲ YXD-102CB



▲ YXD-201C



▲ YXD-202CB

型号	电压	功率	频率	温度范围	款式盆数	结构形式	产品尺寸(mm)
Model	Voltage	Power	Frequency	Temperature	Style	Structure form	Dimension
YXD-1A	220V	2.5kW	50Hz	0-250°C	台式/1盆	单层烤	652x522x555
YXD-101B	220V	2.5kW	50Hz	0-250°C	台式/2盆	上层保温柜+下层烤	652x522x855
YXD-101C	220V	2.5kW	50Hz	0-250°C	台式/2盆	上层烤+下层储物抽屉	652x522x690
YXD-102CB	220V	2.5kW	50Hz	0-250°C	台式/3盆	上层保温柜+中层烤+下层储物抽屉	652x522x990
YXD-201C	220V	5kW	50Hz	0-250°C	立式/3盆	上层、中层烤+下层储物抽屉	652x522x1140
YXD-202CB	220V	5kW	50Hz	0-250°C	立式/4盆	上层保温柜+中两层烤+下层储物抽屉	652x522x1440

FERMENTATION BOX SERIES

烤地瓜机系列



烤梨机系列

Pear Baking Machine Series



▲ YXL-101CL



▲ YXL-101BL



▲ YXL-102CL



▲ YXL-201CL



▲ YXL-202CL

型号	电压	功率	频率	温度范围	结构形式	产品尺寸(mm)
Model	Voltage	Power	Frequency	Temperature	Structure form	Dimension
YXL-101CL	220V	2kW	50Hz	0-250°C	上层烤6层架18杯+储物抽屉	652x522x690
YXL-101BL	220V	2kW	50Hz	0-250°C	上层保温+下烤6层架18杯	652x522x855
YXL-102CL	220V	2kW	50Hz	0-250°C	上层保温+下烤6层架18杯+储物抽屉	652x522x990
YXL-201CL	220V	4kW	50Hz	0-250°C	上下两层烤36杯+储物抽屉	652x522x1140
YXL-202CL	220V	4kW	50Hz	0-250°C	上层保温+上中两层烤36杯+储物抽屉	652x522x1440

PIZZA OVEN 披萨炉系列



PT-4EP1

电披萨炉 Electric Pizza Oven



PT-1PT

电披萨炉 Electric Pizza Oven



PT-4EP2

电披萨炉 Electric Pizza Oven



PT-2PT

电披萨炉 Electric Pizza Oven

型号 Model	产品尺寸(mm) Dimension	内胆尺寸(mm) Tank Size	功率 Power	电压 Voltage	净重 Weight
PT-4EP1	950x750x405	660x660x160	4.5kW	220V/380V	69Kg
PT-4EP2	950x750x750	660x660x160x2	9kW	220V/380V	108.2Kg
PT-1PT	560x585x290	400x400x130	2kW	220V	20.34Kg
PT-2PT	560x585x441	400x400x125/115	3kW	220V	30.28Kg

SHAWARMA 中东烧烤炉系列



PT-R2

燃气2层中东烧烤炉 Gas 2-Layer Shawarma



PT-R3

燃气3层中东烧烤炉 Gas 3-Layer Shawarma



PT-R4

燃气4层中东烧烤炉 Gas 4-Layer Shawarma



PT-E3

电器3层中东烧烤炉 Electric 3-Layer Shawarma

型号 Model	产品尺寸(mm) Dimension	电机功率 Motor Power	功率 Power	电压/气压 Voltage / Pressure	净重 Weight
PT-R2	680x555x815	100W	-	2800pa	21.44Kg
PT-R3	680x555x1005	100W	-	2800pa	24.68Kg
PT-R4	680x555x1185	100W	-	2800pa	29.16Kg
PT-E3	680x555x1005	100W	6kW	220V	25.8Kg