



PT-4A 四头台式煮面机(电热型)
4-Basket Desktop Electric Pasta Cooker



- Selection of high quality stainless steel material, corrosion resistance, no rust, don't be stained with lampblack, easy to clean;
- Highly efficient electric heat pipe design, energy efficient, safe and convenient;
- Freedom temperature control Settings, do adjust the cooking temperature, different kinds of food to meet the demand of the temperature.



PT-6A 六头台式煮面机(电热型)
6-Basket Desktop Electric Pasta Cooker



PT-614 四头台式豪华煮面机(电热型)
4-Basket Desktop Luxury Electric Pasta Cooker



PT-616R 六头台式豪华煮面机(燃气型)
6-Basket Desktop Luxury Gas Pasta Cooker

型号	产品尺寸(mm)	功率	电压/气压	净重
Model	Dimension	Power	Voltage / Pressure	Weight
PT-4A	445x520x325	4kW	220V	9.22Kg
PT-6A	615x520x315	6kW	220V	13.38Kg
PT-614	420x565x340	6kW	220V	10.06Kg
PT-616R	600x560x475	-	2800pa	20Kg



PT-4DR 四头立式煮面机(电热型)
4-Basket Vertical Electric Pasta Cooker



PT-6DR 六头立式煮面机(电热型)
6-Basket Vertical Electric Pasta Cooker



PT-9DR 九头立式煮面机(电热型)
9-Basket Vertical Electric Pasta Cooker



PT-4QR 四头立式煮面机(燃气型)
4-Basket Vertical Gas Pasta Cooker



PT-6QR 六头立式煮面机(燃气型)
6-Basket Vertical Gas Pasta Cooker



PT-9QR 九头立式煮面机(燃气型)
9-Basket Vertical Gas Pasta Cooker

型号	产品尺寸(mm)	功率	电压/气压	净重
Model	Dimension	Power	Voltage Frequency	Weight
PT-4DR	690x425x930	4kW	220V	16.26Kg
PT-6DR	690x600x930	6kW	220V/380V	22.78Kg
PT-9DR	860x600x925	9kW	220V/380V	28.72Kg
PT-4QR	705x425x935	-	2800pa	19.3Kg
PT-6QR	690x600x930	-	2800pa	25.34Kg
PT-9QR	860x600x925	-	2800pa	28.46Kg





自动升降煮面机

Automatic lifting noodle cooker

☆优质不锈钢制造，美观实用，干净卫生，符合卫生标准。

☆本机是我公司最新研发的产品，具有自动恒温，定时自动升降、升温迅速、维护简便、安全可靠的特点。

☆采用了最新的微电脑控制技术，一键式轻触按键，可精准定时定温，设有一键式保温，一键式停止功能；独立定时升降推杆，缺水保护等功能。



产品参数

产品型号	粉篓尺寸	额定电压	额定频率	额定功率	控制数	外形尺寸 (mm)
LEY-60F	14CM/16CM	380V 3N~	50Hz	12Kw	2	780*630*870
LEY-40F	14CM/16CM	380V 3N~	50Hz	6Kw	1	780*350*870
LEY-50F	14CM/16CM	380V 3N~	50Hz	9Kw	2	780*630*870
LEY-45F	14CM/16CM	380V 3N~	50Hz	4.5Kw	1	780*350*870